




# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Price Each | Order Quantity |
|---------|--------------|--------------|-------------|---------|------------|----------------|
|---------|--------------|--------------|-------------|---------|------------|----------------|

## R&R Reels, Lifetime Guaranteed

|   |                 |                     |                 |   |               |  |
|---|-----------------|---------------------|-----------------|---|---------------|--|
| 1 | <b>R94-8037</b> | 94-4357,<br>94-8037 | Reel - 11 Blade | 1 | <b>356.60</b> |  |
|---|-----------------|---------------------|-----------------|---|---------------|--|

*Detail Description:* R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:

|   |                 |                     |                |   |               |  |
|---|-----------------|---------------------|----------------|---|---------------|--|
| 1 | <b>R94-4356</b> | 94-4356,<br>94-8039 | Reel - 8 Blade | 1 | <b>363.65</b> |  |
|---|-----------------|---------------------|----------------|---|---------------|--|

*Detail Description:* R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:

## R&R Bedknives, Lifetime Guaranteed

|   |                 |                                 |                                         |   |              |  |
|---|-----------------|---------------------------------|-----------------------------------------|---|--------------|--|
| 2 | <b>R93-4262</b> | 65-8250,<br>93-4262,<br>93-4263 | Bedknife - Micro Cut .062 -<br>.187 HOC | 1 | <b>40.75</b> |  |
|---|-----------------|---------------------------------|-----------------------------------------|---|--------------|--|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

|   |                  |                       |                                                  |   |              |  |
|---|------------------|-----------------------|--------------------------------------------------|---|--------------|--|
| 2 | <b>R108-4303</b> | 104-7720,<br>108-4303 | Bedknife - Micro Cut<br>Extended .062 - .187 HOC | 3 | <b>48.20</b> |  |
|---|------------------|-----------------------|--------------------------------------------------|---|--------------|--|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No.    | OEM Part No. | Description                    | Qty Req | Price Each   | Order Quantity |
|---------|-----------------|--------------|--------------------------------|---------|--------------|----------------|
| 2       | <b>R99-4299</b> | 99-4299      | Bedknife - Tournament Extended | 3       | <b>44.10</b> |                |

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                                             |                                              |   |              |  |
|---|-----------------|---------------------------------------------|----------------------------------------------|---|--------------|--|
| 2 | <b>R93-4263</b> | 63-8560,<br>66-9320,<br>93-4263,<br>93-6039 | Bedknife - Tournament Cut<br>.125 - .500 HOC | 1 | <b>44.35</b> |  |
|---|-----------------|---------------------------------------------|----------------------------------------------|---|--------------|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                                 |                                       |   |              |  |
|---|-----------------|---------------------------------|---------------------------------------|---|--------------|--|
| 2 | <b>R93-4264</b> | 57-4960,<br>63-8470,<br>93-4264 | Bedknife - Low Cut .187 -<br>1.00 HOC | 1 | <b>42.55</b> |  |
|---|-----------------|---------------------------------|---------------------------------------|---|--------------|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                     |                                        |   |              |  |
|---|-----------------|---------------------|----------------------------------------|---|--------------|--|
| 2 | <b>R94-6392</b> | 62-2500,<br>94-6392 | Bedknife - High Cut .312 -<br>1.00 HOC | 1 | <b>43.80</b> |  |
|---|-----------------|---------------------|----------------------------------------|---|--------------|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No.   | OEM Part No.                    | Description                               | Qty Req | Price Each   | Order Quantity |
|---------|----------------|---------------------------------|-------------------------------------------|---------|--------------|----------------|
| 2       | <b>R150466</b> | 63-8600,<br>64-6393,<br>94-6393 | Bedknife - Super Thick .312<br>- 1.00 HOC | 1       | <b>44.25</b> |                |

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                  |                       |                                                       |   |              |  |
|---|------------------|-----------------------|-------------------------------------------------------|---|--------------|--|
| 2 | <b>R108-4302</b> | 108-4301,<br>108-4302 | Bedknife - Tournament Cut<br>Extended .125 - .500 HOC | 0 | <b>42.15</b> |  |
|---|------------------|-----------------------|-------------------------------------------------------|---|--------------|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

## **R&R Razor Tool Steel Bedknives, Lifetime Guaranteed**

|   |                  |          |                                                                       |   |              |  |
|---|------------------|----------|-----------------------------------------------------------------------|---|--------------|--|
| 2 | <b>R115-1881</b> | 115-1881 | Bedknife - Razor Tool Steel<br>- 21 Tournament Cut .125 -<br>.500 HOC | 1 | <b>93.25</b> |  |
|---|------------------|----------|-----------------------------------------------------------------------|---|--------------|--|

*Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:*

|   |                  |          |                                                                  |   |              |  |
|---|------------------|----------|------------------------------------------------------------------|---|--------------|--|
| 2 | <b>R115-1880</b> | 115-1880 | Bedknife - Razor Tool Steel<br>- 21 Micro Cut .062 - .187<br>HOC | 1 | <b>93.75</b> |  |
|---|------------------|----------|------------------------------------------------------------------|---|--------------|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Price Each | Order Quantity |
|---------|--------------|--------------|-------------|---------|------------|----------------|
|---------|--------------|--------------|-------------|---------|------------|----------------|

*Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:*

|   |                |        |                                                   |   |              |  |
|---|----------------|--------|---------------------------------------------------|---|--------------|--|
| 2 | <b>R150492</b> | 150492 | Bedknife - Razor Tool Steel<br>- 21 Micro Cut Ext | 1 | <b>86.25</b> |  |
|---|----------------|--------|---------------------------------------------------|---|--------------|--|

*Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:*

## Service Tools

|   |                 |         |                                                           |   |              |  |
|---|-----------------|---------|-----------------------------------------------------------|---|--------------|--|
| 4 | <b>R51-0880</b> | 51-0880 | Bedknife Screw Driver Tool<br>- Fits Toro Bedknife Screws | 0 | <b>24.95</b> |  |
|---|-----------------|---------|-----------------------------------------------------------|---|--------------|--|

*Detail Description: Easily install and remove bed knife screws with the help of a ratchet with 3/8" drive. Tool manufactured with hardened alloy steel.:*

## Belts

|   |                 |         |                |   |              |  |
|---|-----------------|---------|----------------|---|--------------|--|
| 6 | <b>R95-0728</b> | 95-0728 | Belt - Groomer | 1 | <b>11.15</b> |  |
|---|-----------------|---------|----------------|---|--------------|--|

## Verti-Cit Blades

|   |                 |          |                                         |    |              |  |
|---|-----------------|----------|-----------------------------------------|----|--------------|--|
| 8 | <b>R150209C</b> | 106-6355 | Verti-Cut Blade - Carbide<br>Tipped 2mm | 36 | <b>13.25</b> |  |
|---|-----------------|----------|-----------------------------------------|----|--------------|--|

*Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<BR><BR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:*

|   |                 |          |                                           |    |              |  |
|---|-----------------|----------|-------------------------------------------|----|--------------|--|
| 8 | <b>R150109C</b> | 106-5422 | Verti-Cut Blade - Carbide<br>Tipped 1.2mm | 36 | <b>13.05</b> |  |
|---|-----------------|----------|-------------------------------------------|----|--------------|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No                                                                                                                                                                                                                                                                                                                                                                             | R&R Part No. | OEM Part No.                                                                                                                                   | Description                    | Qty Req | Price Each | Order Quantity |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------|------------|----------------|
| <i>Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.&lt;BR&gt;&lt;BR&gt;TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:</i> |              |                                                                                                                                                |                                |         |            |                |
| 9                                                                                                                                                                                                                                                                                                                                                                                   | R95-5719     | 95-5719                                                                                                                                        | Blade - Groomer                | 41      | 0.93       |                |
| <b>Other Parts Available</b>                                                                                                                                                                                                                                                                                                                                                        |              |                                                                                                                                                |                                |         |            |                |
| 12                                                                                                                                                                                                                                                                                                                                                                                  | R150477      | 57-4910                                                                                                                                        | Screw - Bedknife 5/16-18 x 1/2 | 13      | 0.38       |                |
| 14                                                                                                                                                                                                                                                                                                                                                                                  | R302-5       | 21-6010,<br>302-11,<br>302-37,<br>302-47,<br>302-5,<br>302-57,<br>302-58,<br>302-6,<br>31-0300,<br>32-9660,<br>60-0800,<br>62-3880,<br>92-4181 | Fitting - Grease               | 4       | 0.32       |                |
| 19                                                                                                                                                                                                                                                                                                                                                                                  | R94-4544     | 94-4544                                                                                                                                        | Spacer - Reel                  | 1       | 6.25       |                |
| 20                                                                                                                                                                                                                                                                                                                                                                                  | R93-2576-01  | 93-2576,<br>93-2576-01                                                                                                                         | Bed Bar - 13 Hole              | 1       | 151.60     |                |
| 21                                                                                                                                                                                                                                                                                                                                                                                  | R315298      | 217-74,<br>31-1070                                                                                                                             | Bolt - Bed Bar                 | 2       | 2.80       |                |
| 22                                                                                                                                                                                                                                                                                                                                                                                  | R105-9768    | 105-9768,<br>93-2490                                                                                                                           | Frame Assy                     | 1       | 262.30     |                |
| 22                                                                                                                                                                                                                                                                                                                                                                                  | R95-1635-01  | 95-1635,<br>95-1635-01                                                                                                                         | Frame - Reel Use w/4 Bolt Adj  | 1       | 267.90     |                |
| 23                                                                                                                                                                                                                                                                                                                                                                                  | R93-2463     | 93-2463                                                                                                                                        | Roller - Lift                  | 1       | 9.95       |                |
| 24                                                                                                                                                                                                                                                                                                                                                                                  | R93-2464     | 93-2464                                                                                                                                        | Spacer - Roller                | 1       | 3.05       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No.      | OEM Part No.                       | Description                          | Qty Req | Price Each   | Order Quantity |
|---------|-------------------|------------------------------------|--------------------------------------|---------|--------------|----------------|
| 25      | <b>R33115-080</b> | 33115-080                          | Bolt - Hex HD M10 x 80               | 1       | <b>1.35</b>  |                |
| 26      | <b>R33025-00</b>  | 33025-00                           | Locknut - 10mm x 1.5 Jam             | 4       | <b>0.61</b>  |                |
| 27      | <b>R32121-123</b> | 32121-123                          | Pin - Spring Roll 5/16 x 3/4         | 4       | <b>0.49</b>  |                |
| 28      | <b>R95-0745</b>   | 95-0745                            | Bolt - Tapered                       | 4       | <b>10.20</b> |                |
| 29      | <b>R105-3834</b>  | 105-3834,<br>95-1618               | Bolt - Shoulder                      | 1       | <b>9.50</b>  |                |
| 30      | <b>R33125-025</b> | 33125-025                          | Bolt - Carriage M10 x 25<br>w/Nut    | 4       | <b>2.05</b>  |                |
| 32      | <b>R95-1617</b>   | 105-3833,<br>95-1617               | Bolt - Eccentric Front Roller<br>Bkt | 1       | <b>16.90</b> |                |
| 33      | <b>R48-7770</b>   | 106-0276,<br>33115-020,<br>48-7770 | Bolt - Hex HD M10 x 20               | 2       | <b>1.05</b>  |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No.     | OEM Part No.                                                                                                                                                                                                                                                                                                                   | Description                     | Qty Req | Price Each   | Order Quantity |
|---------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------|--------------|----------------|
| 34      | <b>R453011</b>   | 01-166-0100,<br>01-166-0120,<br>01-166-0270,<br>01-166-0500,<br>01-166-0600,<br>01-166-0620,<br>132-4593,<br>2356-3,<br>237-12,<br>24-10-AD,<br>24-11-AD,<br>24-11-BD,<br>24-12-AD,<br>24-12-BD,<br>30-9310,<br>32-8190,<br>3256-24,<br>3256-3,<br>3256-36,<br>3256-4,<br>453011,<br>47-9950,<br>48-9220,<br>513458,<br>7-0052 | Washer - Flat 3/8 SAE<br>Y/Zinc | 6       | <b>0.12</b>  |                |
| 35      | <b>R94-8908</b>  | 93-2483,<br>94-8908                                                                                                                                                                                                                                                                                                            | Seal - Reel                     | 2       | <b>6.15</b>  |                |
| 35      | <b>R105-3824</b> | 105-3824                                                                                                                                                                                                                                                                                                                       | Seal - Reel Double Lip          | 2       | <b>6.85</b>  |                |
| 36      | <b>R105-3827</b> | 105-3827                                                                                                                                                                                                                                                                                                                       | Bearing - Reel                  | 2       | <b>25.10</b> |                |
| 36      | <b>R93-2489</b>  | 93-2489                                                                                                                                                                                                                                                                                                                        | Bearing - Reel                  | 2       | <b>23.65</b> |                |
| 37      | <b>R94-4543</b>  | 94-4543                                                                                                                                                                                                                                                                                                                        | Spring - Flat Reel              | 2       | <b>4.55</b>  |                |
| 38      | <b>R94-4545</b>  | 94-4545                                                                                                                                                                                                                                                                                                                        | Housing - Bearing               | 2       | <b>35.65</b> |                |
| 38      | <b>R105-3826</b> | 105-3826                                                                                                                                                                                                                                                                                                                       | Housing - Bearing LH            | 1       | <b>43.95</b> |                |
| 39      | <b>R93-2477</b>  | 93-2477,<br>98-2196                                                                                                                                                                                                                                                                                                            | Rod - Grass Shield              | 1       | <b>17.70</b> |                |
| 40      | <b>R93-2454</b>  | 93-2454                                                                                                                                                                                                                                                                                                                        | Nut - 3/8-16 Tapered            | 4       | <b>2.70</b>  |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No                                              | R&R Part No.        | OEM Part No.                                                                                           | Description                          | Qty Req | Price Each    | Order Quantity |
|------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------|---------|---------------|----------------|
| 41                                                   | <b>R93-2569</b>     | 93-2569                                                                                                | Bolt - Hex Washer Nyloc M10          | 4       | <b>2.05</b>   |                |
| 42                                                   | <b>R95-1642-01</b>  | 93-2570,<br>95-1642,<br>95-1642-01                                                                     | Counterweight                        | 1       | <b>31.80</b>  |                |
| 43                                                   | <b>R100-7113-01</b> | 100-7113-01                                                                                            | Counterweight                        | 1       | <b>46.70</b>  |                |
| 44                                                   | <b>R94-4507</b>     | 94-4507                                                                                                | Coupling - Reel                      | 1       | <b>11.15</b>  |                |
| 45                                                   | <b>R32120-37</b>    | 32120-37                                                                                               | Ring - Internal Retaining Reel       | 1       | <b>2.05</b>   |                |
| 46                                                   | <b>R105-3825</b>    | 105-3825                                                                                               | Housing - Bearing RH                 | 1       | <b>43.95</b>  |                |
| 47                                                   | <b>R105-9770</b>    | 10-5090,<br>105-9770,<br>26-5690,<br>70-9800,<br>94-3506,<br>94-3507                                   | Hydraulic Motor - Reel Quick Release | 1       | <b>484.95</b> |                |
| <i>Tech Note: Fits Models 3000, 3050 &amp; 3100:</i> |                     |                                                                                                        |                                      |         |               |                |
| 48                                                   | <b>R120-2072</b>    | 100-6426,<br>108-6487,<br>112-9200,<br>120-2072,<br>93-1375                                            | Hydraulic Gear Motor                 | 1       | <b>382.95</b> |                |
| 49                                                   | <b>R94-8170</b>     | 94-8170                                                                                                | Bracket - Roller Front               | 2       | <b>20.50</b>  |                |
| 50                                                   | <b>R48-7610</b>     | 33113-012,<br>48-7610                                                                                  | Bolt - Hex HD Nyloc M6 x 12          | 2       | <b>0.66</b>   |                |
| 51                                                   | <b>R3254-6</b>      | 01-166-0010,<br>01-166-0280,<br>01-166-0610,<br>3253-5,<br>3254-18,<br>3254-6,<br>3290-223,<br>48-9370 | Washer - Lock 3/8                    | 2       | <b>0.08</b>   |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No.     | OEM Part No.                                  | Description                      | Qty Req | Price Each   | Order Quantity |
|---------|------------------|-----------------------------------------------|----------------------------------|---------|--------------|----------------|
| 52      | <b>R94-2958</b>  | 94-2958                                       | Stud - Alloy Ball Joint          | 2       | <b>3.90</b>  |                |
| 53      | <b>R150485</b>   | 2410-30                                       | Cap - Protective Bearing Housing | 1       | <b>0.78</b>  |                |
| 54      | <b>R95-1638</b>  | 95-1638                                       | Bracket Only - HOC Adj           | 2       | <b>34.30</b> |                |
| 54      | <b>R99-6858</b>  | 99-6858                                       | Bracket Assy - Rear Roller       | 2       | <b>37.50</b> |                |
| 55      | <b>R99-8168</b>  | 95-1637,<br>99-8168                           | Collar - Bracket HOC             | 2       | <b>3.75</b>  |                |
| 56      | <b>R66-3160</b>  | 33114-020,<br>43-0110,<br>48-7710,<br>66-3160 | Bolt - Flanged Hex HD            | 2       | <b>0.49</b>  |                |
| 57      | <b>R33024-00</b> | 33024-00                                      | Locknut - 8mm x 1.25             | 4       | <b>2.10</b>  |                |
| 58      | <b>R95-1633</b>  | 95-1633                                       | Adjustment - HOC                 | 2       | <b>21.10</b> |                |
| 59      | <b>R3296-5</b>   | 3296-5                                        | Locknut - 3/8-24 Jam Nylon       | 2       | <b>0.82</b>  |                |
| 60      | <b>R99-4197</b>  | 99-4197                                       | Shield - Rear Assy               | 1       | <b>81.95</b> |                |
| 61      | <b>R99-1456</b>  | 99-1456                                       | Pad - Wear Grass Shield          | 1       | <b>10.80</b> |                |
| 62      | <b>R99-4151</b>  | 99-4151                                       | Deflector - RH Grass Shield      | 1       | <b>14.15</b> |                |
| 63      | <b>R99-4152</b>  | 99-4152                                       | Deflector - Grass Shield LH      | 1       | <b>13.10</b> |                |
| 64      | <b>R32144-73</b> | 104-2065,<br>32144-73                         | Screw - Machine Hex Washer Head  | 5       | <b>0.41</b>  |                |
| 65      | <b>R95-1636</b>  | 95-1636                                       | Seal - Strip Grass Shield        | 1       | <b>4.10</b>  |                |
| 66      | <b>R3256-74</b>  | 3256-74                                       | Washer - Flat                    | 4       | <b>0.72</b>  |                |
| 67      | <b>R354083</b>   | 104-7729                                      | Decal - Danger                   | 1       | <b>1.45</b>  |                |
| 68      | <b>R36-7260</b>  | 36-7260                                       | Bar - Cut Off Grass Shield       | 1       | <b>11.60</b> |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster 3250-D Parts

4-Bolt Cutting Unit - Models 04470 & 04471  
Reel & Bedknife



| Item No | R&R Part No.      | OEM Part No.                                                                               | Description                       | Qty Req | Price Each   | Order Quantity |
|---------|-------------------|--------------------------------------------------------------------------------------------|-----------------------------------|---------|--------------|----------------|
| 70      | <b>R104-2067</b>  | 104-2067                                                                                   | Spacer - End - Motor              | 2       | <b>4.10</b>  |                |
| 71      | <b>R46-0430</b>   | 46-0430                                                                                    | Locknut - 4mm                     | 4       | <b>0.56</b>  |                |
| 72      | <b>R33114-030</b> | 33114-030,<br>42-9520,<br>48-7730                                                          | Bolt - Hex HD M8-1.25 x 30        | 4       | <b>1.25</b>  |                |
| 74      | <b>R70-1350</b>   | 70-1350                                                                                    | Spacer - 1/4 Fits Groomer Shaft   | 84      | <b>0.93</b>  |                |
| 76      | <b>R60-6500</b>   | 65-6500                                                                                    | Bolt - Hex HD M4 x 10             | 4       | <b>0.56</b>  |                |
| 79      | <b>R170714</b>    | 170714,<br>302-34,<br>302-39,<br>62-3520                                                   | Fitting - Pressure Relief         | 2       | <b>2.45</b>  |                |
| 82      | <b>R353-585</b>   | 353-585,<br>353-587,<br>354-34,<br>72-4380,<br>75-1210,<br>75-1270,<br>92-8863,<br>92-8864 | Seal - High Pressure - Reel Motor | 1       | <b>21.50</b> |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.